IN THE CLAIMS:

The following listing of the claims replaces all earlier listings and all earlier versions.

B' fort

1. - 23. (Canceled).

24. (Currently Amended) An image processing apparatus comprising: an image capture unit:

a memory adapted to store [[an]] a first image captured by [[an]] said image capture unit;

a first superimposing unit adapted to superimpose a first character second image on the first image read from said memory;

a second superimposing unit adapted to superimpose a second character third image on the <u>first</u> image read from said memory;

a display unit adapted to display the <u>first</u> image on which the first character <u>second image</u> is superimposed; and

an outputting unit adapted to output the <u>first</u> image on which the second character third image is superimposed to outside <u>from said image processing apparatus</u>,

wherein the <u>said</u> image processing apparatus performs a process of rotating the <u>first character second image</u> according to a rotation of the image processing apparatus before the <u>first character second image</u> is superimposed on the <u>first</u> image.

B/ Ceral 25. (Currently Amended) The image processing apparatus according to Claim 24, wherein the <u>said</u> image processing apparatus further performs a process of rotating the <u>first</u> image according to a rotation of the <u>said</u> image processing apparatus before the <u>second character</u> third image is superimposed on the <u>first</u> image.

26. (Currently Amended) A digital camera comprising:

an image capture unit:

a memory adapted to store [[an]] <u>first</u> image captured by [[an]] <u>said</u> image capture unit;

a first superimposing unit adapted to superimpose a first character second image on the first image read from said memory;

a second superimposing unit adapted to superimpose a second character third image on the <u>first</u> image read from said memory;

a display unit adapted to display the <u>first</u> image on which the first character <u>second image</u> is superimposed; and

an outputting unit adapted to output the <u>first</u> image on which the second character <u>third image</u> is superimposed to outside <u>from said digital camera</u>,

wherein the digital camera performs a process of rotating the first character second image according to a rotation of the said digital camera before the first character second image is superimposed on the first image.

B/ Card

- 27. (Currently Amended) The digital camera according to Claim 26, wherein the <u>said</u> digital camera further performs a process of rotating the <u>first</u> image according to a rotation of the <u>said</u> digital camera before the <u>second character third image</u> is superimposed on the <u>first</u> image.
- 28. (Currently Amended) A method for <u>use in</u> an image processing apparatus including <u>an image capture unit</u>, a memory adapted to store [[an]] <u>a first image</u> captured by [[an]] <u>the image capture unit</u>, <u>and a display unit adapted to display the first image</u>, the method comprising the steps of:

a first superimposing step, of superimposing a first character second image on the first image read from the memory;

<u>a second superimposing step, of</u> superimposing a second character third image on the <u>first</u> image read from the memory;

<u>a displaying step. of</u> displaying the <u>first</u> image on which the first character <u>second image</u> is superimposed <u>using the display unit;</u>

an outputting step, of outputting the first image on which the second character third image is superimposed to outside from the image processing apparatus; and

a rotating step, of rotating the first character second image according to a rotation of the image processing apparatus before the first character second image is superimposed on the first image.

Blood

- 29. (Currently Amended) The method according to Claim 28, further comprising a step of <u>performing a process of</u> rotating the <u>first</u> image according to a rotation of the image processing apparatus before the second character third image is superimposed on the <u>first</u> image.
- 30. (Currently Amended) A method for <u>use in</u> a digital camera including an image capture unit, a memory adapted to store [[an]] a first image captured by [[an]] the image capture unit, and a display unit adapted to display the first image, the method comprising steps of:

a first superimposing step, of superimposing a first character second image on the first image read from said the memory;

<u>a second superimposing step, of</u> superimposing a second character third image on the <u>first</u> image read from said the memory;

a displaying step, of displaying the first image on which the first character second image is superimposed using the display unit;

a outputting step, of outputting the first image on which the second character third image is superimposed, to outside from the digital camera; and

a rotating step, of rotating the first character second image according to a rotation of the digital camera before the first character second image is superimposed on the first image.



31. (Currently Amended) The method according to Claim 30, further comprising a step of rotating the <u>first</u> image according to a rotation of the digital camera before the <u>second character third image</u> is superimposed on the <u>first</u> image.